

A particle physicist's perspective on topological insulators.

Andreas Karch

Durham, July 22, 2010

based on: “Fractional topological insulators in three dimensions”,
with J. Maciejko, X.-L. Qi, S. Zhang

also: “A holographic fractional topological insulator” with C. Hoyos and K. Jensen
as well as work in progress with T. Takayanagi and J. Maciejko

Outline.

- Review of topological insulators
(focus on effective field theory)
- Fractional topological insulators
(work with Maciejko, Qi and Zhang)
- Holographic realization
(work with Hoyos and Jensen)
- Quantum Spin Hall Effect
(work with Maciejko and Takayanagi)

Review of topological insulators

Effective theory on insulators.

What is the low energy description of a generic, **time reversal invariant** insulator?

Insulator = gapped spectrum

Low energy DOFs: only **Maxwell field**.

Task: Write down the most general action for **E and B**, with up to two derivatives, consistent with symmetries.

Low energy effective action.

Low energy DOFs: only Maxwell field.

$$S_0 = \int d^3x dt L_0 = \frac{1}{8\pi} \int d^3x dt \left(\epsilon \vec{E}^2 - \frac{1}{\mu} \vec{B}^2 \right).$$

Permittivity and Permeability.

Rotations allow one extra term.

$$\begin{aligned} S_\theta &= \frac{\theta}{2\pi} \frac{\alpha}{16\pi} \int d^3x dt \epsilon_{\mu\nu\rho\tau} F^{\mu\nu} F^{\rho\tau} = \frac{\theta}{2\pi} \frac{\alpha}{4\pi} \int d^3x dt \partial^\mu (\epsilon_{\mu\nu\rho\sigma} A^\nu \partial^\rho A^\sigma) \\ &= \frac{\theta\alpha}{4\pi} \int d^3x dt (E \cdot B) \end{aligned}$$

But: Under time reversal **E is even, B odd**

So naively the most general description of a time reversal invariant insulator does not allow for a theta term.

Flux Quantization.

Dirac Quantization
of magnetic charge:

$$g = n \frac{e}{2\alpha}$$

Implies quantization of magnetic flux!

$$\int_{\mathcal{S}} F = g$$

On any Euclidean closed 4-manifold M :

$$\frac{\alpha}{32\pi^2} \int_M d^4x F_{\mu\nu} F_{\sigma\tau} \epsilon^{\mu\nu\sigma\tau} = N \in \mathbf{Z}$$

Flux Quantization.

- Partition function

$$Z(\theta) = \exp \left\{ i \frac{\alpha \theta}{32\pi^2} \int_M d^4x F_{\mu\nu} F_{\sigma\tau} \epsilon^{\mu\nu\sigma\tau} \right\} = e^{iN\theta}$$

- is periodic in $\theta \rightarrow \theta + 2\pi$ (Abelian version of the “ Θ vacuum” (Callan, Dashen, Gross 1976, Jackiw&Rebbi, 1976))
- θ is time-reversal odd
- \rightarrow time-reversal invariant insulator can have $\theta=0$ or π
- Z_2 classification

Topological Insulators

Low energy description of a T-invariant insulator described by 3 parameters: ε , μ , and:


$$\theta = 0$$

Topologically trivial insulators


$$\theta = \pi$$

Topologically non-trivial insulators


Physical Consequences.




$$4\pi\mathbf{P}=(\epsilon-1)\mathbf{E}$$



$$4\pi\mathbf{M}=(1-1/\mu)\mathbf{B}$$



$$4\pi\mathbf{P}=(\alpha\theta/2\pi)\mathbf{B}$$



$$4\pi\mathbf{M}=(\alpha\theta/2\pi)\mathbf{E}$$

A **topological term**
in the action

$$\nabla \cdot \mathbf{D} = 4\pi\rho$$

$$\nabla \cdot \mathbf{B} = 0$$

$$\nabla \times \mathbf{E} = -\frac{1}{c} \frac{\partial \mathbf{B}}{\partial t}$$

$$\nabla \times \mathbf{H} = \frac{4\pi}{c} \mathbf{J} + \frac{1}{c} \frac{\partial \mathbf{D}}{\partial t}$$

$$\mathbf{D} = \mathbf{E} + 4\pi\mathbf{P} - \frac{\theta}{\pi} \alpha \mathbf{B}$$


$$\mathbf{H} = \mathbf{B} - 4\pi\mathbf{M} + \frac{\theta}{\pi} \alpha \mathbf{E}$$

Magnetic Monopoles in TI

prediction: mirror charge of an electron is a **magnetic monopole**

first pointed out by Lee and Sikivie,
re-obtained in the TI context by Qi et. al.


Compact expression from requiring
E&M duality covariance (AK).



$$g = \frac{\alpha\theta/2\pi}{1 + \alpha^2\theta^2/4\pi^2}q$$

(for $\mu=\mu'$, $\varepsilon=\varepsilon'$)

Faraday and Kerr Effect



change in θ

B independent contribution to
Kerr/Faraday (Qi et al)

(Polarization of transmitted and reflected wave rotated by angle θ)

$$\theta_{\text{topo}} = \arctan \frac{2\alpha\Delta}{\sqrt{\epsilon/\mu} + \sqrt{\epsilon'/\mu'}}$$

A Microscopic Model

A microscopic model: **Massive Dirac Fermion.**

$$\mathcal{L} = \bar{\psi}(i\partial_{\mu}\gamma^{\mu} - M)\psi$$

Time Reversal: $M \longrightarrow M^*$

Time reversal system has real mass.

Two options: **positive or negative.**

Chiral rotation and ABJ anomaly.

Massless theory invariant under chiral rotations:

$$\psi \rightarrow e^{-i\phi\gamma_5/2}\psi$$

Symmetry of massive theory if mass transforms:

$$M \rightarrow e^{i\phi}M$$

Phase can be rotated away! Chose M positive.

Chiral rotation and ABJ anomaly.

But in the quantum theory chiral rotation is anomalous. **Measure transforms.**

$$\Delta\mathcal{L} = C\alpha\frac{\phi}{32\pi^2} \text{tr} \epsilon_{\mu\nu\rho\sigma} F^{\mu\nu} F^{\rho\sigma}$$

$$C = \sum_{fields} q^2 = 1 \cdot 1^2 = 1$$

$$\theta \rightarrow \theta - C\phi$$

Single field with unit charge.

Chiral rotation and ABJ anomaly.

$$\theta \rightarrow \theta - C\phi$$

Axial rotation with $\Phi=\pi$:


- Rotates real negative mass into positive mass.
- Generates $\theta=\pi$!

Positive mass = Trivial Insulator.

Negative mass = Topological Insulator.

Localized Zero Mode on Interface.

Domain Wall has localized zero mode!



Domain Wall = TI/non-TI Interface

A Lattice Realization.

How to get $\theta = \pi$ from non-interacting electrons in periodic potential (Band-Insulator)?

Topology of Band Structure!

Define Z_2 valued topological invariant of bandstructure to distinguish trivial (“positive mass”) from topologically non-trivial (“negative mass”).

Band Structure Topology.

Multi-Band-Berry-Connection.

(Qi, Hughes, Zhang)

$$\theta \equiv 2\pi P_3(\theta) = \frac{1}{16\pi^2} \int d^3\mathbf{k} \epsilon^{ijk} \text{Tr} \left\{ [f_{ij}(\mathbf{k}) - \frac{2}{3} i a_i(\mathbf{k}) \cdot a_j(\mathbf{k})] \cdot a_k(\mathbf{k}) \right\}$$

$$f_{ij}^{\alpha\beta} = \partial_i a_j^{\alpha\beta} - \partial_j a_i^{\alpha\beta} + i [a_i, a_j]^{\alpha\beta},$$


$$a_i^{\alpha\beta}(\mathbf{k}) = -i \langle \alpha, \mathbf{k} | \frac{\partial}{\partial k_i} | \beta, \mathbf{k} \rangle$$

$\theta=0$	Vacuum, ...
$\theta=\pi$	$\text{Bi}_{1-x}\text{Sb}_x, \text{Bi}_2\text{Se}_3, \text{Bi}_2\text{Te}_3, \text{Sb}_2\text{Te}_3$



predicted: $\text{TlBi}(\text{Sb})\text{Te}(\text{Se}, \text{S})_2$, LaPtBi etc (Heusler compounds)

Experimentally found Zero Modes.

Hasan group, *Nature* 2008




H. J. Zhang, et al, *Nat Phys* 2009



Hasan group,
 Bi_2Se_3
Nat Phys 2009

Bi_2Te_3
Chen et al
Science 2009



Summary of Strategy:

Low Energy Effective Theory:

$$\boxed{\text{Dirac Quantization}} \longrightarrow \boxed{\theta = \text{Integer} \cdot \pi}$$

Microscopic Model:

$$\boxed{\text{ABJ anomaly}} \longrightarrow \boxed{\theta/\pi = \sum (\text{charge})^2}$$

Connection to Experiment:

$$\boxed{\text{Band Topology}} \longrightarrow \boxed{\theta = \text{QHZ-invariant}}$$



IR

UV

Fractional topological insulators

(work with Maciejko, Qi and Zhang)

Fractional Topological Insulators?

Recall from Quantum Hall physics:

electron

$$\sigma_{xy} = n \frac{e^2}{h}$$

Quantum Hall

e⁻ interactions



(m odd for fermions)

fractionalizes into
m partons

$$\sigma_{xy} = \frac{n}{m} \frac{e^2}{h}$$

Fractional
Quantum Hall

Fractional Topological Insulators?

TI = half of an integer quantum hall state on the surface


expect: fractional TI = half a fractional QHS
Hall quantum = half of $1/\text{odd integer}$.

Can we get this from charge fractionalization?

Partons.

Microscopic Model:

$$\boxed{\text{ABJ anomaly}} \longrightarrow \boxed{\theta/\pi = \sum (\text{charge})^2}$$




electron breaks
up into m partons.

$$\theta / \pi = \sum (\text{charge})^2 = m \cdot \left(\frac{1}{m} \right)^2 = \frac{1}{m} \quad (\text{m odd so } e^- \text{ is fermion})$$

(if partons form a TI = have negative mass)

Partons.



To ensure that physical (= gauge invariant) states carry integer electron charge add “statistical” gauge field.

Simplest models: $U(1)^3/U(1)$ quiver gauge theory
 $SU(3)$ with $N_f=1$

Important dynamical question.

Is the gauge theory in a confining or deconfining phase?

We need: **deconfined!** Favors abelian models.
(or $N=4$ SYM with $N=2$ massive hyper)

Gapless modes present; charged fields all gapped.

Alternative: Higgsed Phase with unbroken discrete gauge invariance.

Why not confined phase?

Need chiral symmetry to be unbroken.

(“Confinement w/o chiral symmetry” breaking ok
--- but also has extra light, neutral states.)

MIT theorem (basically Dirac quantization):

Need either **extra massless degrees of freedom**

(e.g deconfined phase or SUSY QCD with $N_f=N_c+1$)

or degenerate groundstate (e.g. Higgs phase)

How to make a fractional TI?

Need: **Strong electron/electron interactions**

(so electrons can potentially fractionalize)

Strong spin/orbit coupling

(so partons can form topological insulator)

How can one tell if a given material is a fractional TI (in theory/in practice)?

Transport! Fractional Hall + Kerr.


Holographic Realization

(work with Hoyos and Jensen)

fTI in N=4 SYM and AdS/CFT

	0	1	2	3	4	5	6	7	8	9
D3	X	X	X	X	-	-	-	-	-	-
D7	X	X	X	X	X	X	X	X		


T-invariant = real mass
 = D7 at $x_9=0$, any x_8



(here this is a choice to preserve T,
 Takayanagi and Ryu impose orientifold that
 makes T-violating mass inconsistent)

(8,9) space

holographic fTI




$$ds_{S^5}^2 = \cos^2 \theta d\Omega_3^2 + d\theta^2 + \sin^2 \theta d\phi^2$$

Find: $\theta(x, r)$

Smooth embedding. Approaches step at $r=\infty$ (boundary of AdS)

holographic fTI



holographic fTI

- Other mass profiles possible; expect Hall current with filling fraction $1/(2m)$ for any zero crossing profile.
- This can easily be verified from AdS. Independent of details of embedding, the Hall current is uniquely determined by WZ term.

Was expected: **WZ term = anomalies**

Explicit Realization of a non-abelian fTI

The Quantum Spin Hall Effect


(or better: the quantum R-current-Hall effect)

(work with Maciejko and Takayanagi)

Quantum Spin Hall Effect in HgTe

(Kane, Mele; Bernevig Zhang)

2+1 dimensional
HgTe quantum well



$$\sigma_{xy} = 0$$

$$\sigma_{xy}^{spin} = \frac{e}{2\pi}$$

Continuum Description:

$$\mathcal{L} = \bar{\psi}(i\partial_{\mu}\gamma^{\mu} - M)\psi$$



2+1: only one mass M
T odd. Single fermion massless!

But: **(Jackiw-Templeton)**

opposite sign!



$$\mathcal{L}_M = M\bar{\Psi}\Psi = M(\bar{\psi}_2\psi_2 - \bar{\psi}_1\psi_1)$$

T invariant mass possible for two fermions!

Coupling to Electromagnetism:

Symmetry: $U(2) \longrightarrow U(1)_{EM} \times U(1)_R$

symmetry of
free fermions gauged remaining global
symmetry

$U(1)_R$ plays role of spin!

	$U(1)_{EM}$	$U(1)_R$	Sign(mass)
Ψ_1	+1	+1	+1
Ψ_2	+1	-1	-1

Integrate out fermions:

Induced CS:
$$k_{ab} = \frac{1}{2} \sum_i q_{i,a} q_{i,b} \text{sign}(M)$$

Electromagnetic: Contributions from the two fermions cancel.
No CS term. No Hall current.

Mixed EM/R: Contributions from the two fermions add. $k=1$.

The A_R F_{EM} gives rise to “Quantum-R-Hall-Effect”

Applications.

- As in $3+1$, given the continuum description it is trivial to construct low energy description of fractional quantum spin hall effect. e splits into m partons. CS term picks up factor of $1/m$.
- Holographic realization in terms of probe brane system also straightforward. This time it's the D3/D5 system. Again, topological properties independent of embedding.

Summary.

- Effective field theory for fractional TI can be constructed
- Basic ingredient: **fractionalization**
- Effective θ follows from anomaly/Dirac quantization
- Requires strong LS coupling and strong interactions.
- Experimental signatures: transport + Kerr/Faraday
- Holographic realization straight forward